

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	787	((generic near3 class) or (templat\$3 near3 class)) and (parameter\$7 or declar\$5) same (intermediate or compil\$5 or il or tree)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:28
L3	39	((generic near3 class) or (templat\$3 near3 class)) and (parameter\$7 or declar\$5) same (intermediate or compil\$5 or il or cil or tree or (language near2 neutral) or "intermediate language" or common) and ("virtual machine" or "runtime engine") and ((type or generic) near2 class) and ((unconstrain\$3 or constructed) near3 (type or class)) and (instantiat\$3 near3 (value or argument or parameter or type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 08:34
L4	37	((generic near3 class) or (templat\$3 near3 class)) and (parameter\$7 or declar\$5) same (intermediate or compil\$5 or il or cil or tree or (language near2 neutral) or "intermediate language" or common) and ("virtual machine" or "runtime engine") and ((type or generic) near2 class) and ((unconstrain\$3 or constructed) near3 (type or class)) and (instantiat\$3 near3 (value or argument or parameter or type)) not microsoft.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 08:35
L5	36	("6063128").URPN.	USPAT	OR	OFF	2007/01/03 08:49
L6	34	("6063128").URPN. not microsoft.as.	USPAT	OR	OFF	2007/01/03 09:15
L7	1	"6760905".pn.	USPAT	OR	OFF	2007/01/03 09:15
L8	2	("6760905").URPN.	USPAT	OR	OFF	2007/01/03 09:15
L9	21	("5555415" "5632035" "5715460" "5724589" "5761502" "5822583" "5838918" "5864700" "6032152" "6138171" "6195794" "6275957" "6336139" "6405368" "6598225" "6601193" "6675228" "6760905" "6826761" "6829771" "6889373").PN. OR ("7100167").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/03 09:21

EAST Search History

L10	10759	(generat\$3 or creat\$3 or develop\$4 or pars\$3) near3 ("intermediate language" or li or cil or ((intermediate or common or neutral) near3 (language or code or object or tokens or nodes or tree)) or (pars\$3 near3 tree))	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/03 09:25
L11	11785	(generat\$3 or creat\$3 or develop\$4 or pars\$3 or compil\$5) near3 ("intermediate language" or li or cil or ((intermediate or common or neutral) near3 (language or code or object or tokens or nodes or tree)) or (pars\$3 near3 tree))	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/03 09:26
L12	6831	(generat\$3 or creat\$3 or develop\$4 or pars\$3 or compil\$5) near3 ("intermediate language" or li or cil or ((intermediate or common or neutral) near3 (language or code or object or tokens or nodes or tree)) or (pars\$3 near3 tree)) and (java or ".net" or "j#" or "virtual machine" or "runtime engine")	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/03 09:29
L13	438	(generat\$3 or creat\$3 or develop\$4 or pars\$3 or compil\$5) near3 ("intermediate language" or li or cil or ((intermediate or common or neutral) near3 (language or code or object or tokens or nodes or tree)) or (pars\$3 near3 tree)) and (java or ".net" or "j#" or "virtual machine" or "runtime engine") and ((generic near3 class) or (templat\$3 near3 class) or (parameter\$7 near3 class) or (shell near3 class))	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/03 09:30
L14	157	(generat\$3 or creat\$3 or develop\$4 or pars\$3 or compil\$5) near3 ("intermediate language" or li or cil or ((intermediate or common or neutral) near3 (language or code or object or tokens or nodes or tree)) or (pars\$3 near3 tree)) and (java or ".net" or "j#" or "virtual machine" or "runtime engine") and ((generic near3 class) or (templat\$3 near3 class) or (parameter\$7 near3 class) or (shell near3 class)) and 717/???ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/03 09:31

EAST Search History

L15	143	(generat\$3 or creat\$3 or develop\$4 or pars\$3 or compil\$5) near3 ("intermediate language" or li or cil or ((intermediate or common or neutral) near3 (language or code or object or tokens or nodes or tree)) or (pars\$3 near3 tree)) and (java or ".net" or "j#" or "virtual machine" or "runtime engine") and ((generic near3 class) or (templat\$3 near3 class) or (parameter\$7 near3 class) or (shell near3 class)) and 717/???ccls. not microsoft.as.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/03 09:31
L16	117	(generat\$3 or creat\$3 or develop\$4 or pars\$3 or compil\$5) near3 ("intermediate language" or li or cil or ((intermediate or common or neutral) near3 (language or code or object or tokens or nodes or tree)) or (pars\$3 near3 tree)) and (java or ".net" or "j#" or "virtual machine" or "runtime engine") and ((generic near3 class) or (templat\$3 near3 class) or (parameter\$7 near3 class) or (shell near3 class)) and 717/???ccls. not microsoft.as. and "source code"	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/03 13:07
L17	3450	((generic near3 class) or (templat\$3 near3 class) or (parameter\$7 near3 class) or (shell near3 class)) and (queue or dictionary or stack)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/03 13:08
L18	141249	((generic near3 class) or (templat\$3 near3 class) or (parameter\$7 near3 class) or (shell near3 class)) and (queue or dictionary or stack) (first and second) near3 source	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/03 13:09
L19	244	((generic near3 class) or (templat\$3 near3 class) or (parameter\$7 near3 class) or (shell near3 class)) and (queue or dictionary or stack) and (first and second) near3 source	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/03 13:09
L20	6	defin\$5 near3 (parameter or argument or value) same ((generic near3 class) or (templat\$3 near3 class) or (parameter\$7 near3 class) or (shell near3 class)) and (queue or dictionary or stack) and (first and second) near3 source	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/03 13:43
L21	1	"6760905".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/03 13:43
L22	2	("6760905").URPN.	USPAT	OR	OFF	2007/01/03 13:44

EAST Search History

L23	21	("5555415" "5632035" "5715460" "5724589" "5761502" "5822583" "5838918" "5864700" "6032152" "6138171" "6195794" "6275957" "6336139" "6405368" "6598225" "6601193" "6675228" "6760905" "6826761" "6829771" "6889373"). PN. OR ("7100167").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/03 13:45
S1	0	Gadre.in. and "compiling source code using generic classees"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 17:37
S2	2	"source code interoperability" and "generic class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 17:38
S3	23	"source code interoperability"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 17:40
S4	1354	"generic class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 17:38
S5	204	"generic class" and (java or bytecode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:23
S6	115	"generic class" and (java or bytecode) and intermediate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 17:39
S7	184	"generic class" and (java or bytecode) and (intermediate or tree or "object model" or token\$7 or neutral\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 17:49
S8	2	S3 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 17:40

EAST Search History

S9	22	"source code interoperability" and (tree or intermediate or "object model")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 17:41
S10	22	"source code interoperability" and (tree or intermediate or "object model") and (java or bytecode or net or ".net")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 17:42
S11	84	"generic class" and (java or bytecode) and (intermediate or tree or "object model" or token\$7 or neutral\$3 or il or cil or msil) and (interoper\$7 or "virtual object" or oopl or "multi source code" or obje)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:24
S12	82	S11 not S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 17:52
S13	10	(defin\$3 or definition) near3 "generic class" and (java or bytecode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 18:18
S14	12	(defin\$3 or definition) near3 "generic class" and framework	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 18:18
S15	6	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 18:24
S16	4	S13 not S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 18:26
S17	6	S14 not S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/12 18:26

EAST Search History

S18	8	(compil\$5 or transform\$5 or adapt\$3 or wrap\$4 or translat\$3) near2 "generic class" and (java or bytecode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 08:01
S19	9	("6018628").URPN.	USPAT	OR	OFF	2006/07/13 07:54
S20	0	(compil\$5 or transform\$5 or adapt\$3 or wrap\$4 or translat\$3) near2 "template class" and generic and (java or bytecode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 08:01
S21	0	(compil\$5 or transform\$5 or adapt\$3 or wrap\$4 or translat\$3) near5 "template class" and generic and (java or bytecode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 08:01
S22	38	(compil\$5 or transform\$5 or adapt\$3 or wrap\$4 or translat\$3) same ((generic or template) adj class) and (java or bytecode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 08:02
S23	30	S22 not S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 08:45
S24	12	("6032152" "5960197" "6151703" "5600838" "5901314" "6760905").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 08:46
S25	6	("6032152").URPN.	USPAT	OR	OFF	2006/07/13 08:49
S26	320	"generic object" and (java or bytecode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:23
S27	0	generic near2 (class or object or oo or template) and (java or bytecode) and (intermediate or tree or "object model" or token\$7 or neutral\$3 or il or cil or msil) and (interop\$7 or "multi source code" or obje) and (compil\$5 or transform\$5 or adapt\$3 or wrap\$4 or translat\$3) and paramter\$7 near3 (class or object or oo or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:27

EAST Search History

S28	0	generic near5 (class or object or oo or template) and (java or bytecode) and (intermediate or tree or "object model" or token\$7 or neutral\$3 or il or cil or msil) and (compil\$5 or transform\$5 or adapt\$3 or wrap\$4 or translat\$3) and paramter\$7 same (class or object or oo or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:28
S29	0	generic\$4 near5 (class or object or oo or template) and (java or bytecode) and (intermediate or tree or "object model" or token\$7 or neutral\$3 or il or cil or msil) and (compil\$5 or transform\$5 or adapt\$3 or wrap\$4 or translat\$3) and paramter\$7 same (class or object or oo or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:28
S30	12	generic\$4 and (class or object or oo or template) and (java or bytecode) and (intermediate or tree or "object model" or token\$7 or neutral\$3 or il or cil or msil) and (compil\$5 or transform\$5 or adapt\$3 or wrap\$4 or translat\$3) and paramter\$7 and (class or object or oo or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:35
S31	454	717/106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:12
S32	448	717/108.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:35
S33	291	717/118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:36
S34	534	717/136.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:36
S35	574	717/140.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:36

EAST Search History

S36	294	717/143.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:36
S37	170	717/144.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:37
S38	268	717/146.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:37
S39	83	717/147.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:38
S40	29	717/147.ccls. and generic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:40
S41	59	717/147.ccls. and (generic\$4 or parameter\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:40
S42	15	717/147.ccls. and (generic\$4 or parameter\$7) and (framework or "frame work")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 09:41
S43	2	("6609248").URPN.	USPAT	OR	OFF	2006/07/13 09:50
S44	96	717/106.ccls. and (generic\$4 or parameter\$7) and (framework or "frame work")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:12
S45	69	717/106.ccls. and (generic\$4 or parameter\$7) and (framework or "frame work") and (pars\$3 or tree or intermediate or il)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/13 10:13

EAST Search History

S46	69	717/106.ccls. and (generic\$4 or parameter\$7) and (framework or "frame work") and (pars\$3 or tree or intermediate or il) and (class or object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:14
S47	1	717/106.ccls. and (generic\$4 or parameter\$7) and (framework or "frame work") and (pars\$3 or tree or intermediate or il) and (class or object) and (parameter near5 generic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:22
S48	3	717/106.ccls. and (generic\$4 or parameter\$7) and (framework or "frame work") and (pars\$3 or tree or intermediate or il or compil\$5) and (class or object) and (parameter near5 generic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:25
S49	7	717/108.ccls. and (generic\$4 or parameter\$7) and (framework or "frame work") and (pars\$3 or tree or intermediate or il or compil\$5) and (class or object) and (parameter near5 generic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:38
S50	6	S49 not S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:25
S51	3	717/118.ccls. and (generic\$4 or parameter\$7) and (framework or "frame work") and (pars\$3 or tree or intermediate or il or compil\$5) and (class or object) and (parameter near5 generic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 08:19
S52	2	717/136.ccls. and (generic\$4 or parameter\$7) and (framework or "frame work") and (pars\$3 or tree or intermediate or il or compil\$5) and (class or object) and (parameter near5 generic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:44
S53	1	717/140.ccls. and (generic\$4 or parameter\$7) and (framework or "frame work") and (pars\$3 or tree or intermediate or il or compil\$5) and (class or object) and (parameter near5 generic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:45

EAST Search History

S54	1	717/143.ccls. and (generic\$4 or parameter\$7) and (framework or "frame work") and (pars\$3 or tree or intermediate or il or compil\$5) and (class or object) and (parameter near5 generic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:45
S55	0	717/144.ccls. and (generic\$4 or parameter\$7) and (framework or "frame work") and (pars\$3 or tree or intermediate or il or compil\$5) and (class or object) and (parameter near5 generic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:45
S56	2	717/146.ccls. and (generic\$4 or parameter\$7) and (framework or "frame work") and (pars\$3 or tree or intermediate or il or compil\$5) and (class or object) and (parameter near5 generic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:46
S57	101429	"visual j#" pr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 10:46
S58	15	".net" or "visual j#" or "visual j# .net"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 12:01
S59	1936	cil or smil	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 12:00
S60	1177	cil or msil	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 12:01
S61	158	(".net" or "visual j#" or "visual j# .net" or net) and (cil or msil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 12:02
S62	130	(".net" or "visual j#" or "visual j# .net" or net) and (cil or msil) not microsoft. as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 12:02



.NET java generic intermediate language fram 1995 - 2

Scholar [All articles](#) [Recent articles](#) Results 1 - 10 of about 656 for **.NET jav**

All Results

[H Ogawa](#)

[M Barnett](#)

[J Graham](#)

[K Shimura](#)

[S Matsuoka](#)

[OpenJIT: An Open-Ended, Reflective JIT Compiler](#)

[Framework for Java](#) - group of 10 »

H Ogawa, K Shimura, S Matsuoka, F Maruyama, Y ... -

Proceedings of ECOOP, 2000 - Springer

... security-checked code downloaded across the **net**- work ...

Open-Ended, Reflective JIT

Compiler **Framework for Java ... Intermediate Language**
(IL) **Intermediate Language**(RTL ...

[Cited by 47](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Compressed Abstract Syntax Trees for Mobile Code](#) - group
of 6 »

CH Stork, V Haldar - Workshop on **Intermediate**

Representation Engineering (IRE ..., 2001 - ics.uci.edu

... Our **generic** implementation reduces the size of regular
Java ... storage access [Fra94],

leading to a **net** gain in ... efforts [Pug99] [ECM98] to
compress **Java** programs. ...

[Cited by 7](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[A Framework for Building Pedagogic Java Programming](#)
[Environments](#) - group of 3 »

BR Stoler - 2002 - bstoler.org

... page, <http://drjava.sourceforge.net> ... manages to support
the entire **Java language**

(by virtue of being ... The first was based on the MrEd
framework underlying DrScheme ...

[Cited by 6](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Metaprogramming Library for the C# Programming](#)

[Language](#) - group of 2 »

G Kis, J Orosz, M Pinter, Z Laszlo, T Genssler - ... of the

Joint Modular **Language** Conference. Springer LNCS, ..., 2003 - Springer

... Recoder.C# is a **generic** library for program ... thus is almost compatible with the **Java**

version at ... 1. The Recoder Homepage:

<http://recoder.sourceforge.net> 2. Ludwig ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[BOOK] Generic Adaptive Syntax-directed Compression for Mobile Code - [group of 9 »](#)

CH Stork, M Franz - 2001 - vivekhalдар.com

Generic Adaptive Syntax-Directed ... easy generation from Barat's internal representation

of **Java** programs and ... binary file can be stored or sent over the **net**. ...

[Cited by 11](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[Runtime verification of .NET contracts](#) - [group of 6 »](#)

M Barnett, W Schulte - The Journal of Systems & Software, 2003 - Elsevier

... plans to provide Eiffel contracts for .NET components ... are many systems for attaching

contracts to **Java** components ... can not handle any of the **generic** extensions to ...

[Cited by 24](#) - [Related Articles](#) - [Web Search](#)

[Compiling Little Languages in Python](#) - [group of 16 »](#)

J Aycock - Proceedings of the Seventh International Python Conference, 1998 - foretec.com

... languages: one for a subset of **Java**, the other ... The **net** result is a **framework** which

can be used ... The **generic** classes in the **framework**, without any modifications ...

[Cited by 28](#) - [Related Articles](#) - [Cached](#) - [Web Search](#)

[Towards Language-Agnostic Mobile Code](#) - [group of 14 »](#)

CH Stork, PS Housel, V Haldar, N Dalton, M Franz -

Electronic Notes in Theoretical Computer Science, 2001 -

lenox.psl.cs.columbia.edu

- .. that the mechanism for encoding ASTs be **generic** and extensible ... the ASTs we use for

Java already include ... For example, in Microsoft's **.NET** architecture, code in ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

G2: A Grid Middleware for Cycle Donation using .NET - group of 4 »

W Kelly, P Roe, J Sumitomo - Proceedings of The 2002 International Conference on Parallel ..., 2002 - razorsoft.net
... code download across the web rather like **Java** applets ...
method in the G2Client class

calls a **generic** Invoke web ... HTML page that contains an embedded .NET object of ...

[Cited by 11](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Zonnon for .NET-A Language and Compiler Experiment - group of 4 »

J Gutknecht, E Zueff - Joint Modular Languages Conference, JMLC2003, Klagenfurt, ..., 2003 - Springer

... that are separated artificially in languages as **Java** and **C#** ... The CCI **framework** provides

generic support for compiler ... Zonnon for .NET – A Language and Compiler ...

Cited by 2 - Related Articles - Web Search - BL Direct

Gooooooooooooo gle ►

Result Page: **1** 2 3 4 5 6 7 8 9 10 **Next**

.NET java generic intermediate lang

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



.NET java generic intermediate language fram 1995 - 2

Scholar All articles Recent articles Results 51 - 60 of about 656 for .NET j

All Results

H Ogawa

M Barnett

J Graham

K Shimura

S Matsuoka

The university of queensland binary translator (uqbt) framework - group of 2 »

C Cifuentes, M van Emmerik, N Ramsey, B Lewis - The University of Queensland and Sun Microsystems, Inc, 2002 - experimentalstuff.com

... 8 **Intermediate** Representation ... with Translation to Bytecodes of the **Java** Platform for the machine dependent concerns and support **generic**, machine independent ...

Cited by 12 - Related Articles - View as HTML - Web Search

[PS] Design and Development of a Java API to the KQML protocol system

SX Wu - 1996 - cs.umbc.edu

... a KQML environment within a local area **net**- work are ... agent code - specialized agents can inherit **generic** agent properties ... The **Java** language environment supports ...

Related Articles - View as HTML - Web Search

[PS] PLAN: A Programming Language for Active Networks - group of 3 »

M Hicks, P Kakkar, JT Moore, CA Gunter, S Nettles - Submitted, November, 1997 - cis.upenn.edu

... may be dynamically installed over the **net**- work by ... disadvantages of this approach are that **Java** is not ... 1 Ser- vice Logic Program **Framework Generic** Requirements ...

Cited by 78 - Related Articles - View as HTML - Web Search - BL Direct

Developing multi-agent systems with a FIPA-compliant agent **framework** - group of 7 »

F Bellifemine, A Poggi, G Rimassa - Software-Practice and Experience, 2001 - doi.wiley.com

... the effort to producespecifications for **generic** agent technologies ... as the well-known contract **net** negotiation protocol ... **language** but a **Java** development **framework** ...

Cited by 174 - Related Articles - Web Search - BL Direct

The Web Consultant–A Flexible **Framework** for Dynamic Web Applications - group of 3 »

A Turk, F Farnschläder, H Silberhorn, H Stoyan, S ... - Proceedings of the First International Conference on ..., 2000 - Springer

... Internet Insurance Consultant is a **net** application that ... on integrating interactive elements (**Java**-Script, **Java**). ... It represents a **generic** solution for realizing ...

Cited by 1 - Related Articles - Web Search - BL Direct

Application-Level Concurrency Management - group of 10 »

F Ogel, G Thomas, B Folliot, I Piumarta, I ... - NATO Advanced Research Workshop, Concurrent Information ..., 2003 - www-sor.inria.fr

... Drivers (**Net**, disk, console,etc ... is used to define specializations of "**generic**" classes and ... and UP Schultz, Harissa: A Hybrid Approach to **Java** Execution, in ...

Cited by 2 - Related Articles - View as HTML - Web Search

Workflow-based composition of Web-services: a business model or a programming paradigm? - group of 5 »

D Ganesarajah, E Lupu - Enterprise Distributed Object Computing Conference, 2002. ..., 2002 - ieeeexplore.ieee.org

... as a web- service of the **generic** workflow engine and a ... id="someproxy2" soapend="http://

services.xmethods.**net**:80/perl ... is implemented as a single

Java Bean with ...

Cited by 14 - Related Articles - Web Search

[BOOK] From Natural Language Requirements to

Executable Models of Software Components. - group of 9 »

BR Bryant, BS Lee, F Cao, W Zhao, JG Gray - 2003 - gray-area.org

... of Generative Domain Models [10] using the **Generic Modeling Environment** ... specific

operations (eg in CORBA, J2EE, or .NET). ... Video server implementation (in **Java**) ...

Cited by 4 - Related Articles - View as HTML - Web Search - Library Search

[PS] A Framework for Static Program Analysis

M Reinikainen - 2003 - mire.iki.fi

... **Java programming language**. Three applications were successfully built on the prototype implementation. The **framework** is modular and contains well-dened ...

Cited by 2 - Related Articles - View as HTML - Web Search

[PS] A Comparative Overview of C# - group of 2 »

B Albahari - Published on Genamics WWW site, July, 2000 - cs.ucsb.edu

... Goodhew **Java Community Process** for adding **Generics** to **Java** ... versions of code (most notably the .NET libraries) are ... In **Java**, supposing we deploy a class called D ...

Cited by 17 - Related Articles - View as HTML - Web Search

◀ Gooooooooooooooooooooo gle ▶

Result Page: Previous 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 Next

.NET java generic intermediate lang

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google